The International Workshop on Cluster Algebras and Related Topics

August 2-6, 2021 Morningside Center of Mathematics, CAS

Supported by

Morningside Center of Mathematics, CAS

The conference "Cluster Algebras and Related Topics" will be held at **Morningside Center of Mathematics**, which was founded by Chinese Academy of Sciences in 1996 and **Professor Shing-Tung Yau** has been serving as the director of the Center.

Conference Time: August 2-6, 2021 Online: ZOOM (ZOOM ID: 4663562952 Password: mcm1234)

Website: http://www.mcm.ac.cn/

Contact: Manlin Wang (王曼琳)

Email: mcmoffice@math.ac.cn

WeChat QR code:



脚踏实地谋发展~ 💗 🔒 💄

Invited Speakers

Karin Baur	Universität Graz
Peigen Cao	Université de Paris
Man-Wai Cheung	Harvard University
Ben Davison	University of Edinburg
Nanqing Ding	Nanjing University
Ming Fang	AMSS, CAS
Jiarui Fei	Shanghai Jiao Tong University
Daniel Labardini-Fragoso	National Autonomous University of Mexico
Changjian Fu	Sichuan University
Alexander Goncharov	Yale University
Song He	Institute of Theoretical Physics, CAS
Min Huang	Sun Yat-sen University
Kiyoshi Igusa	Brandeis University
Osamu Iyama	University of Tokyo
Bernhard Keller	Université de Paris
Myungho Kim	Kyung Hee University
	Ryung mee Oniversity
Kyungyong Lee	University of Nebraska-Lincoln
Kyungyong Lee	University of Nebraska-Lincoln
Kyungyong Lee Li Li	University of Nebraska-Lincoln Oakland University
Kyungyong Lee Li Li Travis Mandel	University of Nebraska-Lincoln Oakland University University of Oklahoma
Kyungyong Lee Li Li Travis Mandel Hiraku Nakajima	University of Nebraska-Lincoln Oakland University University of Oklahoma University of Tokyo
Kyungyong Lee Li Li Travis Mandel Hiraku Nakajima Tomoki Nakanishi	University of Nebraska-Lincoln Oakland University University of Oklahoma University of Tokyo Nagoya University
Kyungyong Lee Li Li Travis Mandel Hiraku Nakajima Tomoki Nakanishi Pierre-Guy Plamondon	University of Nebraska-Lincoln Oakland University University of Oklahoma University of Tokyo Nagoya University Université de Paris Sud XI
Kyungyong Lee Li Li Travis Mandel Hiraku Nakajima Tomoki Nakanishi Pierre-Guy Plamondon Matthew Pressland	University of Nebraska-Lincoln Oakland University University of Oklahoma University of Tokyo Nagoya University Université de Paris Sud XI University of Leeds
Kyungyong Lee Li Li Travis Mandel Hiraku Nakajima Tomoki Nakanishi Pierre-Guy Plamondon Matthew Pressland Yannan Qiu	University of Nebraska-Lincoln Oakland University University of Oklahoma University of Tokyo Nagoya University Université de Paris Sud XI University of Leeds Zhejiang University
Kyungyong Lee Li Li Travis Mandel Hiraku Nakajima Tomoki Nakanishi Pierre-Guy Plamondon Matthew Pressland Yannan Qiu Yu Qiu	University of Nebraska-Lincoln Oakland University University of Oklahoma University of Tokyo Nagoya University Université de Paris Sud XI University of Leeds Zhejiang University Tsinghua University
Kyungyong Lee Li Li Travis Mandel Hiraku Nakajima Tomoki Nakanishi Pierre-Guy Plamondon Matthew Pressland Yannan Qiu Yu Qiu Shiquan Ruan	University of Nebraska-Lincoln Oakland University University of Oklahoma University of Tokyo Nagoya University Université de Paris Sud XI Université de Paris Sud XI University of Leeds Zhejiang University Tsinghua University Xiamen University
Kyungyong Lee Li Li Travis Mandel Hiraku Nakajima Tomoki Nakanishi Pierre-Guy Plamondon Matthew Pressland Yannan Qiu Yu Qiu Shiquan Ruan Ralf Schiffler	University of Nebraska-Lincoln Oakland University University of Oklahoma University of Tokyo Nagoya University Université de Paris Sud XI Université de Paris Sud XI University of Leeds Zhejiang University Tsinghua University Xiamen University University of Connecticut
Kyungyong Lee Li Li Travis Mandel Hiraku Nakajima Tomoki Nakanishi Pierre-Guy Plamondon Matthew Pressland Yannan Qiu Yu Qiu Shiquan Ruan Ralf Schiffler Peng Shan	University of Nebraska-Lincoln Oakland University University of Oklahoma University of Tokyo Nagoya University Université de Paris Sud XI Université de Paris Sud XI University of Leeds Zhejiang University Tsinghua University Xiamen University University of Connecticut Tsinghua University

Gordana Todorov Daping Weng Quanshui Wu Jie Xiao Fan Xu Haicheng Zhang Yu Zhou Northeastern University College of Science Michigan State University Fudan University Tsinghua University Nanjing Normal University Tsinghua University

Organizers

Xueqing Chen	University of Wisconsin-Whitewater
Fang Li	Zhejiang University
Fan Qin	Shanghai Jiao Tong University
Linhui Shen	Michigan State University
Bin Zhu	Tsinghua University

Conference Schedule

August 2 nd , 2021 (Monday)			
7:50-8:00	Opening Ceremony		
8:00-8:50	Man-Wai Cheung Chair: Xueqing Chen	Cluster varieties: compactification and holomorphic correspondence	
9:00-9:50	Daniel Labardini-Fragoso Chair: Fan Qin	Laminations, tau-reduced components, generic bases and bangle bases	
10:00-10:50	Shiquan Ruan Chair: Bin Zhu	Tilting objects on tubular weighted projective lines: a clustertilting approach	
14:00-14:50	Jie Xiao Chair: Quanshui Wu	The multiplication formulas of quantum cluster algebras (I)	
15:00-15:50	Fan Xu Chair: Bin Zhu	The multiplication formulas of quantum cluster algebras (II)	
20:00-20:50	Haizheng Zhang Chair: Qin Fan	Acyclic quantum cluster algebras via derived Hall algebras	
21:00-21:50	Daping Weng Chair: Linhui Shen	Augmentations, Fillings, and Clusters of Positive Braid Closures	
22:00-22:50	Alexander Goncharov Chair: Linhui Shen	Cluster structures on moduli spaces of non-commutative local systems on decorated surfaces	
	Augu	ust 3 rd , 2021 (Tuesday)	
8:00-8:50	Ralf Schiffler Chair: Linhui Shen	On a geometric model for syzygies over 2-Calabi-Yau tilted algebras	
9:00-9:50	Yu Qiu Chair: Bangming Deng	Calabi-Yau-X and cluster-X categories from decorated marked surfaces(=DMS)	
10:00-10:50	Yu Zhou Chair: Bangming Deng	A geometric model for perfect categories of graded skew- gentle algebras	
14:00-14:50	Kyungyong Lee Chair: Bernhard Keller	Greedy bases revisited, with a view toward the Jacobian conjecture	
15:00-15:50	Min Huang Chair: Fang Li	Positivity for quantum cluster algebras from orbifolds	
20:00-20:50	Ben Davison		
21:00-21:50	Travis Mandel Chair: Fan Qin	Bracelet bases are theta bases	
22:00-22:50	Pierre-Guy Plamondon Chair: Ben Davison	On g-vector fans of cluster algebras	

Chair: Ben Davison

August 4 th , 2021 (Wednesday)					
8:00-8:50	Kiyoshi Igusa Chair: Gordana Todorov	Duality of signed exceptional sequences			
9:00-9:50	Gordana Todorov Chair: Kiyoshi Igusa	Semi-invariant pictures of tame hereditary algebras near their null roots			
10:00-10:50	Changjian Fu Chair: Kyungyong Lee	c-vectors and f-vectors revisited			
	August 5 th , 2021 (Thursday)				
8:00-8:50	Hiraku Nakajima Chair: Jie Xiao	Representations of shifted Yangian			
9:00-9:50	Myungho Kim Chair: Fan Qin	Cluster algebras and finite-dimensional modules over quantum affine algebras			
10:00-10:50	Peng Shan Chair: Zhaobin Fan	Cohomology of affine Springer fibres and centre of small quantum groups			
14:00-14:50	Ming Fang Chair: Libin Li	Rigidity dimension of algebras			
15:00-15:50	Nanqing Ding Chair: Dingguo Wang	Recollements associated to cotorsion pairs over upper triangular matrix rings			
16:00-16:50	Yannan Qiu Chair: Ming Fang	The based rings of two-sided cells in an affine Weyl group of type \tilde B_3			
20:00-20:50	Tomoki Nakanishi Chair: Min Huang	Cluster patterns and scattering diagrams			
21:00-21:50	Jiarui Fei Chair: Peigen Cao	Tropical F-polynomials and Cluster Algebras			
22:00-22:50	Peigen Cao Chair: Lang Mou	Bongartz completion via c-vectors.			
	Aug	ust 6 th , 2021 (Friday)			
8:00-8:50	Osamu Iyama Chair: Bin Zhu	Wall-chamber structure in Grothendieck group and canonical decomposition			
9:00-9:50	Li Li Chair: Xueqing Chen	Support of elements in cluster algebras			
10:00-10:50	Song He Chair: Fang Li	Cluster algebras for scattering amplitudes			
14:00-14:50	Quanshui Wu Chair: Yang Han	A neralization of koszul algebra and koszul duality			
15:00-15:50	Karin Baur Chair: Bin Zhu	Orbifold diagrams and skew group categories			
20:00-20:50	Xiuping Su Chair: Xueqing Chen	Auslander algebras and cluster algebras C[G/P] in type A			

21:00-21:50	Matthew Pressland Chair: Michael Shapiro	Categorification of positroid varieties
22:00-22:50	Michael Shapiro Chair: Matthew Pressland	Noncommutative cluster integrability

Titles and Abstracts

1. Karin Baur (Universität Graz)

Orbifold diagrams and skew group categories

Alternating strand diagrams (as introduced by Postnikov) on the disk have been used in the study of the coordinate ring of the Grassmannian. In particular, they give rise to clusters of the Grassmannian cluster algebras (Scott) or to cluster-tilting objects of the Grassmannian cluster categories of Jensen-King-Su (Baur-King-Marsh).

On the other hand, orbifolds have also been related to cluster structures as Paquette-Schiffler (or Chekhov-Shapiro for a geometric approach). Here we introduce orbifold diagrams as quotients of symmetric Postnikov diagrams and show how to associate quivers with potentials to them. This is joint work with Andrea Pasquali (Stuttgart) and Diego Velasco (Cali).

2. Peigen Cao (Université de Paris)

Bongartz completion via c-vectors.

We first give a characterization for Bongartz completion in tau-tilting theory using c-vectors. Motivated by this characterization, we introduce Bongartz completion in cluster algebras. Then we give some properties and applications of Bongartz completion in cluster theory. This is a joint work with Y. Gyoda and T. Yurikusa.

3. Man-Wai Cheung (Harvard University)

Cluster varieties: compactification and holomorphic correspondence

Cluster varieties are log Calabi-Yau varieties which are unions of algebraic tori glued by birational "mutation" maps. They are blown up of the toric varieties. In toric geometry, projective toric varieties can be described by polytopes. We will see how to generalize the polytope construction to cluster convexity which satisfies piecewise linear structure. As an application, we will see that the non-integral vertex in the Newton Okounkov body of Grassmannian comes from broken line convexity. We will then move forward to discuss family Floer mirror construction and disk potential of the Lagrangian torus fibers via holomorphic/tropical correspondence for cluster varieties of rank 2. The talk will be based on a series of joint works with Bardwell-Evans, Bossinger, Hong, Lin, Magee, Najera-Chavez.

4. Ben Davison (University of Edinburg)

Strong positivity for quantum cluster algebras

Quantum cluster algebras are quantizations of cluster algebras, which are a class of algebras interpolating between integrable systems and combinatorics. These algebras were originally introduced to study positivity phenomena arising in the study of quantum groups, and so one of the

key questions regarding them (and their quantum analogues) is whether they admit a basis for which the structure constants are positive. The classical version of this question was settled in the affirmative by Gross, Hacking, Keel and Kontsevich. I will present a proof of the quantum version of this positivity for skew-symmetric quantum cluster algebras, due to joint work with Travis Mandel, based on results in categorified Donaldson-Thomas theory and using scattering diagrams.

5. Nanqing Ding (Nanjing University)

Recollements associated to cotorsion pairs over upper triangular matrix rings

Let A, B be two rings and $T = \begin{pmatrix} A & M \\ 0 & B \end{pmatrix}$ with M an A-B-bimodule. Suppose that we are given two complete hereditary cotorsion pairs $(\mathcal{A}_A, \mathcal{B}_A)$ and $(\mathcal{C}_B, \mathcal{D}_B)$ in A-Mod and B-Mod respectively. We define two cotorsion pairs $(\mathcal{P}(\mathcal{A}_A, \mathcal{C}_B), \operatorname{Rep}(\mathcal{B}_A, \mathcal{D}_B))$ and $(\operatorname{Rep}(\mathcal{A}_A, \mathcal{C}_B), \mathcal{\Psi}(\mathcal{B}_A, \mathcal{D}_B))$ in T-Mod and show that both of these cotorsion pairs are complete and hereditary. If we are given two cofibrantly generated model structures \mathcal{M}_A and \mathcal{M}_B on A-Mod and B-Mod respectively, then using the result above, we investigate when there exists a cofibrantly generated model structure \mathcal{M}_T on T-Mod and a recollement of $\operatorname{Ho}(\mathcal{M}_T)$ relative to $\operatorname{Ho}(\mathcal{M}_A)$ and $\operatorname{Ho}(\mathcal{M}_B)$. Finally, some applications are given in Gorenstein homological algebra. This talk is a report on joint work with R.M. Zhu and Y.Y. Peng.

6. Ming Fang (Academy of Mathematics and Systems Science of CAS)

Rigidity dimension of algebras

A new homological dimension, called rigidity dimension, is introduced to measure the quality of resolutions of finite dimensional algebras (especially of infinite global dimension) by algebras of finite global dimension and big dominant dimension. Upper bounds of the dimension are established in terms of extensions and of Hochschild cohomology, and finite-ness in general is derived from homological conjectures. In particular, the rigidity dimension of a non-semisimple group algebra is finite and bounded by the order of the group. Then invariance under stable equivalences, and without exceptions in case of triangulated equivalences. Stable equivalences of Morita type and derived equivalences, both between self-injective algebras, are shown to preserve rigidity dimension as well. Some examples are discussed.

7. Jiarui Fei (Shanghai Jiao Tong University)

Tropical F-polynomials and Cluster Algebras

The representation-theoretic interpretations of g-vectors and F-polynomials are two fundamental ingredients in the (additive) categorification of cluster algebras. We knew that the g-vectors are related to the presentation spaces. We introduce the tropical F-polynomial f_M of a quiver representation M, and explain its interplay with the general presentation for any finite- dimensional

basic algebra. As a consequence, we give a presentation of the Newton polytope N(M) of M. We propose an algorithm to determine the generic Newton polytopes, and show it works for path algebras. As an application, we give a representation-theoretic interpretation of Fock-Goncharov's cluster duality pairing. We also study many combinatorial aspects of N(M), such as faces, the dual fan and 1-skeleton. We conjecture that the coefficients of a cluster monomial corresponding to vertices are all 1, and the coefficients inside the Newton polytope are saturated. We show the conjecture holds for acyclic cluster algebras.

8. Daniel Labardini-Fragoso (National Autonomous University of Mexico)

Laminations, tau-reduced components, generic bases and bangle bases

In relatively recent joint work, Geiss, Schröer and I showed that there is a bijective correspondence between the set of laminations of an unpunctured surface (\Sigma, M) and the set of generical lytaureduced irreducible components (formerly called strongly reduced irreducible components by Geiss-Leclerc-Schröer) of the representation spaces of the gentle Jacobian algebra of any triangulation of (\Sigma, M). We also showed that the generic basis of the corresponding (upper) cluster algebra coincides with Musiker-Schiffler-Williams' bangle basis in the unpunctured case. In this talk I will present these results and report on ongoing joint work with Geiss and Wilson that intends to extend them to the case of punctured cases.

9. Changjian Fu (Sichuan University)

c-vectors and *f*-vectors revisited

c-vectors and f-vectors are integer vectors arising from cluster theory, where c-vectors parameterize coefficients, while f-vectors are maximal degree vectors of F-polynomials. In this talk, we will review certain (new) properties and questions related to c- and f-vectors. Partially based on joint work with Y. Gyoda and with S. Geng and P. Liu.

10. Alexander Goncharov (Yale University)

Cluster structures on moduli spaces of non-commutative local systems on decorated surfaces

A decorated surface is a surface with punctures and a collection of special points on the boundary, modulo isotopies. We consider the moduli space of local systems of n-dimensional vector bundles over an arbitrary non-commutative field, aka skew field, R. When R is a commutative field, there is a collection of coordinate systems on this moduli space, equivariant under the action of the mapping class group of the surface, constructed by Vladimir Fock and myself.

I will explain what is the analog of this construction when R is an arbitrary skew field. In the case when n=2 this is closely related to (but yet different than) the work of A. Berenstain and V. Retakh on non-commutative cluster algebras related to surfaces. This is a joint work with Maxim Kontsevich.

11. Song He (Institute of Theoretical Physics of CAS)

Cluster algebras for scattering amplitudes

Cluster algebras have been known to play an important role in the study of scattering amplitudes in N=4 super-Yang-Mills via its Grassmannian geometric structures. In this talk I will review some recent progress in uncovering cluster-algebra structures for scattering of generalized particles and strings in a wider context. We propose a construction of generalized associahedra for finite-type cluster algebra, which nicely encode tree and one-loop amplitudes of a scalar theory; by considering vast generalizations of string amplitudes dubbed stringy canonical forms, we then define "cluster string integrals" and "cluster configuration spaces" for any Dynkin diagram, which for type A reduce to usual string amplitudes and moduli spaces (mainly based on 1912.08707, 1912.11764, 2005.11419).

12. Min Huang (Sun Yat-sen University)

Positivity for quantum cluster algebras from orbifolds

We report our recent progress on the positivity for the quantum cluster algebras from orbifolds.

13. Kiyoshi Igusa (Brandeis University)

Duality of signed exceptional sequences

There are $(n+1)^{n-1}$ exceptional sequences of type A_n. This number also counts the number of rooted forests with n numbered vertices. Olivier Bernardi and I formulated a conjecture relating doubly signed exceptional sequences of type A_n and a certain two-variable generating function for rooted forests. A key feature of the conjecture is that it treats projective and injective objects symmetrically. But it does not always hold.

This talk will review known facts about signed exceptional sequences, a concept invented by Gordana Todorov and myself, an extension to tau-tilting theory by Aslak-Bakke Buan and Bethany Marsh. Then I will attempt to make the theory symmetrical to try to understand when the conjecture might hold.

14. Osamu Iyama (University of Tokyo)

Wall-chamber structure in Grothendieck group and canonical decomposition

In representation theory of finite dimensional algebras A, torsion classes are an important class of subcategories of mod A, and correspond bijectively with intermediate t-structures in the derived category. The most basic class of torsion classes (called functorially finite) is parametrized by silting complexes. There are two natural generalizations of this class. One is called semistable torsion classes, and parametrized by elements of the real Grothendieck group K0(proj A) R of the category proj A of finitely generated projective A-modules. The other is called morphism torsion classes, and parametrized by morphisms in the category proj A. We show that torsion classes in the first class

can be described completely by those in the second class. We also discuss `TF equivalence relation' on K0 (proj A) R defined by semistable torsion classes. We show that the open cone given by Derksen-Fei's canonical decomposition is contained in a TF equivalence class. Moreover, they coincide if A is E-tame or hereditary. This talk is based on a joint work with Sota Asai.

15. Myungho Kim (Korea Institute for Advanced Study)

Cluster algebras and finite-dimensional modules over quantum affine algebras

In their pioneering work, Hernandez and Leclerc showed that the category C of finite-dimensional modules over quantum affine algebras has a rich structure closely related to the theory of cluster algebras. Based on this observation, they provided the notion of monoidal categorification of cluster algebras. In this talk, I will explain that many monoidal subcategories of C provide monoidal categorification of cluster algebras, containing the case conjectured by Hernandez and Leclerc. This talk is based on the joint works with Masaki Kashiwara, Se-jin Oh, and Euiyong Park.

16. Kyungyong Lee (University of Nebraska-Linocln)

Greedy bases revisited, with a view toward the Jacobian conjecture

The Jacobian conjecture concerns the automorphisms of polynomial rings. We present an approach to the two-dimensional Jacobian conjecture, which uses certain joint divisibility and support conditions. These conditions have been inspired by the theory of cluster algebras, in particular, the construction of Lee-Li-Zelevinsky's greedy basis for rank 2 cluster algebras. No prior knowledge on the Jacobian conjecture or greedy basis is necessary. This is joint work with Ethan Hurst, Li Li, and George Nasr.

17. Li Li (Oakland University)

Support of elements in cluster algebras

Newton polytopes provide a combinatorial approach to study Laurent polynomials through the convex hull of their supports. In general, it could be interesting to study a certain region that encloses the support of a Laurent polynomial, where such a region may not be convex, or not even a polytope. In this talk I will explain how this idea is used to study greedy bases, triangular bases and other special elements in cluster algebras.

18. Travis Mandel (University of Utah)

Bracelet bases are theta bases

Cluster algebras from marked surfaces have well-known collections of special elements called "bracelet bases", as do the corresponding quantizations and the associated (quantum) cluster Poisson algebras. I will review these constructions and explain upcoming joint work with Fan Qin in which

we prove several conjectures regarding the (quantum) bracelet bases by proving that they coincide with the corresponding (quantum) theta bases.

19. Hiraku Nakajima (University of Tokyo)

Representations of shifted Yangian

Shifted Yangian and shifted quantized loop algebras for symmetrizable Kac-Moody Lie algebras are realized by quantized Coulomb branches of quiver gauge theories with symmetrizers. Their representations, including finite-dimensional ones, category O, and even more general ones, are understood by Lusztig's canonical bases of unfolded symmetric quantized Kac-Moody algebras and their framed versions (joint work with Weekes, arXiv:1907.06552). I will explain several consequences of this theory in examples.

20. Tomoki Nakanishi (Nagoya University)

Cluster patterns and scattering diagrams

We review the construction of scattering diagrams for cluster patterns by Gross, Hacking, Keel, and Kontsevich. Then, we show how these scattering diagrams are related with cluster patterns via C- and G-matrices and F-polynomials by a different approach from GHKK without relying on their toric/birational geometrical setting. The sign-coherence and Laurent positivity follow from this relation.

21. Pierre-Guy Plamondon (Université de Paris Sud XI)

On g-vector fans of cluster algebras

We will discuss properties of the g-vector fan of a cluster algebra obtained from the representation theory of algebras. In finite type, we classify all relations between g-vectors and describe the space f realizations of the generalized associahedra, whose normal fans are the-vector fans. This is done by looking at relations in the Grothendieck group of a sub-extriangulated structure of the cluster categories in finite types. We then discuss the cases where the g-vector fan is densen the real space that contains it by studying "truncated twists functors" on the derived categories of tame algebras.

22. Matthew Pressland (Universität Stuttgart)

Categorification of positroid varieties

A connected Postnikov diagram D, consisting of a set of crossing strands in the disc, determines both a cluster algebra structure on a corresponding positroid variety in the Grassmannian, and a (Frobenius) categorification of this cluster algebra. I will explain this construction, and its relationship to Jensen, King and Su's Grassmannian cluster category. A key tool is provided by perfect matchings of the dimer model associated to D, which correspond to certain modules for the endomorphism algebra of a cluster-tilting object in the categorification. If time permits, I will also explain how considering perfect matching modules allows us to relate Marsh and Scott's dimer partition function for twisted Plücker coordinates to the cluster character. This is partly joint work with İ. Çanakçı and A. King.

23. Yannan Qiu (Zhejiang University)

The based rings of two-sided cells in an affine Weyl group of type $tilde B_3$

We introduce Lusztig's conjecture on the structure of the based ring of two-sided cell. And for type tB_3 we show that Lusztig's conjecture on the structure of the based ring of two-sided cell corresponding to the unipotent class in Sp_6(tB_3 with 3 equal Jordan blocks needs modified. This is a joint work with Nanhua Xi.

24. Yu Qiu (Tsinghua University)

Calabi-Yau-X and cluster-X categories from decorated marked surfaces(=DMS)

We introduce the graded DMS to study the Calabi-Yau-X categories associated to double graded quivers with super potential from surfaces. In particular, this provides a link between Calabi-Yau-3 categories of quiver with potential from triangulated surfaces and topological Fukaya categories from surfaces. This is a joint work with Akishi Ikeda and Yu Zhou.

25. Shiquan Ruan (Xiamen University)

Tilting objects on tubular weighted projective lines: a cluster tilting approach

This is joint work with Jianmin Chen, Pin Liu and Yanan Lin. Using cluster tilting theory, we investigate tilting objects in the stable category of vector bundles on a weighted projective line of weight type (2, 2, 2, 2). More precisely, a tilting object consisting of rank-two bundles is constructed via cluster tilting mutation. Moreover, the cluster tilting approach also provides a new method to classify the endomorphism algebras of tilting objects in the category of coherent sheaves and the associated bounded derived category.

26. Ralf Schiffler (University of Connecticut)

On a geometric model for syzygies over 2-Calabi-Yau tilted algebras

In this talk, we report on joint work with Khrystyna Serhiyenko available at https://arxiv.org/abs/2106.06496. We consider the class of 2-Calabi-Yau tilted algebras that are defined by a quiver with potential whose dual graph is a tree. These algebras are wild in general. For every such algebra B, we construct a polygon S with a checkerboard pattern in its interior that

gives rise to a category Diag(S). The indecomposable objects of Diag(S) are the 2-diagonals in S, and its morphisms are given by certain pivoting moves between the 2-diagonals. We conjecture that the category Diag(S) is equivalent to the stable syzygy category over the algebra B, such that the rotation of the polygon corresponds to the shift functor on the syzygies. In particular, the number of indecomposable syzygies is finite and the projective resolutions are periodic. We prove the conjecture in the special case where every chordless cycle in the quiver is of length three.

As a consequence, we obtain an explicit description of the projective resolutions. Moreover, we show that the syzygy category is equivalent to the 2-cluster category of type A, and we introduce a new derived invariant for the algebra B that can be read off easily from the quiver.

27. Peng Shan (Tsinghua University)

Cohomology of affine Springer fibers and center of small quantum groups

I will report some recent progress on relationship between cohomology of affine Springer fibers and center of small quantum groups. This is based on joint work with R. Bezrukavnikov, P. Boixeda-Alvarez and E. Vasserot.

28. Michael Shapiro (Michigan State University)

Noncommutative cluster integrability

We define a discrete dynamical system (non-commutative pentagram map) and prove its noncommutative integrability. To prove integrability we define non-commutative double quasi-Poisson bracket on the space of non-commutative arc weights of a directed graph on a cylinder which gives rise to the quasi-Poisson bracket of Massuyeau and Turaev on the group algebra of the fundamental group of a surface. We show that the induced double quasi Poisson bracketon the boundary measurements can be described via non-commutative r-matrix formalism which gives a conceptual proof of the result by N. Ovenhouse that the traces of powers of Lax matrix form an infinity system of Hamiltonians in involution. (joint w/ N. Ovenhouse and S. Arthamonov)

29. Xiuping Su (University of Bath)

Auslander algebras and cluster algebras C[G/P] in type A

The Auslander algebra A of the truncated polynomial ring $k[x]/(x^n)$ is quasi-hereditary. In this talk I will construct some subcategories of Delta-filtered A-modules (aka good A-modules) and define an exact structure on these subcategories. I will then show that these subcategories under the exact structure are stably 2-CY and explain how these categories lead to categorification of cluster algebras defined on partial flag varieties G/P of type A. I will also show that these subcategories provide natural quantum seeds and discuss relations between the q-cluster algebras constructed from

the quantum seeds and quantum flag varieties. This talk is based on ongoing joint work with B T Jensen.

30. Gordana Todorov (Northeastern University College of Science)

Semi-invariant pictures of tame hereditary algebras near their null roots

We study local structure of semi-invariant pictures of tame hereditary algebras near their null roots. We define a construction that we call co-amalgamation, and show that this local structure is completely described by the semi-invariant pictures of a collection of Nakayama algebras.

31. Daping Weng (Michigan State University)

Augmentations, Fillings, and Clusters of Positive Braid Closures

In the study of Legendrian links, one important task is to distinguish different exact Lagrangian fillings of a Legendrian link, up to Hamiltonian isotopy, in symplectic R^4. We introduce a cluster K2 structure on the augmentation variety of the Chekanov-Eliashbergdga for the rainbow closure of any positive braid. Using the Eckholm-Honda-Kalman functor from the cobordism category of Legendrian links to the category of dga's, we prove that a big family of fillings give rise to cluster seeds on the augmentation variety, and these cluster seeds can be used to distinguish non-Hamiltonian isotopic fillings. Moreover, by relating a cyclic rotation concordance with the cluster Donaldson-Thomas transformation on the augmentation variety, we prove that, except for a family of positive braids that are associated with finite type quivers, the rainbow closure of all other positive braids admits infinitely many non-Hamiltonian isotopic fillings. This is joint work with H. Gao and L. Shen.

32. Quanshui Wu (Fudan University)

A generalization of Koszul algebra and Koszul duality

In the talk, we will first recall the notion of classical graded Koszul rings defined by Beilinson-Ginzburg-Soergel and ungraded Koszul rings defined by Martinéz-Villa and Green. Then we will give a definition of (weakly) Koszulity for \mathbb{N} -graded rings A such that A_0 is noetherian semiperfect, which unifies the classical graded case and the ungraded semiperfect case. Under some natural assumptions, we show that the following statements are equivalent: A is Koszul; the Yoneda Ext ring $E(A) \coloneqq \underline{Ext}_A(A/J, A/J)$ of A is Koszul where J is the graded Jacobson radical of A; the associated ring $\operatorname{Gr}_J A$ of the radical filtration of A is classical Koszul; the opposite ring of A is Koszul. If A is Koszul, we prove that the double Yoneda Ext ring of A is isomorphic to $\operatorname{Gr}_J A$ as graded rings. This result degenerates to the classical Koszul duality when A is classical Koszul. It is also proved that when A is Koszul of finite global dimension then A is generalized Artin-Schelter regular if and only if the Yoneda ring E(A) of A is self-injective.

This is a joint work with Haonan Li.

33. Jie Xiao (Tsinghua University)

The multiplication formulas of quantum cluster algebras (I)

This talk is based on joint work with Zhimin Chen and Fan Xu. In this talk, we first review the cluster characters for 2-Calabi-Yau triangulated categories and categories of nilpotent modules over preprojective algebras. By applying the property of Ext-symmetry and introducing weight function, we obtain the multiplication formulas for quantum cluster characters associated to abelian categories with the property of Ext-symmetry and 2-Calabi-Yau triangulated categories with tilting objects.

34. Fan Xu (Tsinghua University)

The multiplication formulas of quantum cluster algebras (II)

This talk is based on joint work with Zhimin Chen and Jie Xiao and a continuation of "The multiplication formulas of quantum cluster algebras (I)". In this talk, we generalize the Geiss-Leclerc-Schroeer isomorphism between certain varieties of partial composition series and the corresponding quiver Grassmannians and then make a connection between two multiplication formulas in the previous talk. We explain that the proper choice of weight function induces the mutation formula for quantum cluster characters given by Qin.

36. Haicheng Zhang (Nanjing Normal University)

Acyclic quantum cluster algebras via derived Hall algebras

Let Q be a finite acyclic valued quiver. In this talk, we study the quantum cluster algebra of Q via its derived Hall algebra. Firstly, by considering the comultiplications and integration maps on certain derived Hall subalgebras, we recover the quantum Caldero-Chapoton formulas and some cluster multiplication formulas. Secondly, by defining certain quotients of derived Hall subalgebras of Q, we give the high-dimensional cluster multiplication formulas in the quantum cluster algebra of Q with arbitrary coefficients. This talk is based on the joint works [FPZ] and [CDXZ].

[FPZ]: ChangJian Fu, Liangang Peng and Haicheng Zhang*, Quantum cluster characters of Hall algebras revisited, arXiv:2005.10617.

[CDXZ]: Xueqing Chen, Ming Ding, Fan Xu and Haicheng Zhang*, Acyclic quantum cluster algebras via derived Hall algebras.

36. Yu Zhou (Tsinghua University)

A geometric model for perfect categories of graded skew-gentle algebras

Let A be a graded skew-gentle algebra, i.e., a Z-graded algebra which is finite-dimensional and skew-gentle when forgetting the grading. We classify indecomposable objects in the perfect category of A in terms of admissible curves with local systems on a graded punctured marked

surface. For good objects, we describe the morphisms between them via tagged intersections. The cones of certain morphisms are also given. This is based on an ongoing joint work with Yu Qiu and Chao Zhang.

List of Participants

No.	Name	Unit	Email
1.	Ming Fang	AMSS, CAS	fming@amss.ac.cn
2.	Minhua Liu	AMSS, CAS	liuminhua16@mails.ucas.ac.cn
3.	Yang Han	AMSS, CAS	hany@iss.ac.cn
4.	Andrey Glubokov	Ave Maria University	andrey.glubokov@avemaria.edu
5.	Qian Qi	Beijing Institute of Technology	2386854341@qq.com
6.	Jie Zhang	Beijing Institute of Technology	jiezhang@bit.edu.cn
7.	Yingjin Bi	Beijing Normal University	yingjinbi@mail.bnu.edu.cn
8.	Wei Hu	Beijing Normal University	huwei@bnu.edu.cn
9.	Zhuang Xiao	Beijing Union University	ldtzhuangxiao@buu.edu.cn
10.	Jialei Chen	Beijing University of Technology	chenjialei@bjut.edu.cn
11.	Wang Wanxia	Beijing University of Technology	18839136189@163.com
12.	Yexuan Li	Beijing University of Technology	leeyexuan@126.com
13.	Yaguo Guo	Beijing University of Technology	970175569@qq.com
14.	Shiyu Lin	Beijing University of Technology	linshiyu97413@163.com
15.	Yan Zhou	BICMR	yanzhou1990@utexas.edu
16.	Kiyoshi Igusa	Brandeis University	igusa@brandeis.edu
17.	Wei Xing	Capital Normal University	x.w611@163.com
18.	Li Han	Capital Normal University	lhan629@gmail.com
19.	Sheng Jie	China Agricultural University	shengjie@cau.edu.cn
20.	Bin Yu	China Jiliang University	binyu@cjlu.edu.cn
21.	Quanshui Wu	Fudan University	qswu@fudan.edu.cn
22.	Haonan Li	Fudan University	17110840001@fudan.edu.cn

23.	Silu Liu	Fudan University	20110180008@fudan.edu.cn
24.	Bojuan Yi	Fudan University	19210180065@fudan.edu.cn
25.	Yanyong Hong	Hangzhou Normal University	hongyanyong2008@yahoo.com
26.	Jiwei He	Hangzhou Normal University	jiweihe@163.com
27.	Fan Zhaobing	Harbin Engineering University	fanzhaobing@hrbeu.edu.cn
28.	Yu Zhang	Harbin Engineering University	2283740772@qq.com
29.	Zhong Yongyue	Harbin Engineering University	845630692@qq.com
30.	Man-Wai Cheung	Harvard University	mwcheung@math.harvard.edu
31.	Xinle Dai	Harvard University	xdai@math.harvard.edu
32.	Xiaomin Tang	Heilongjiang University	tangxm@hlju.edu.cn
33.	Yu Zhang	Heilongjiang University	zhangy20182021@163.com
34.	Zhe Han	Henan University	hanzhe0302@163.com
35.	Han Zhe	Henan University	zhehan@vip.henu.edu.cn
36.	Genqiang Liu	Henan University	liugenqiang@henu.edu.cn
37.	Zhu Rongmin	Huaqiao University	rongminzhu@hotmail.com
38.	Panyue Zhou	Hunan Institute of Science and Technology	panyuezhou@163.com
39.	Ryo Fujita	IMJ-PRG	ryo.fujita@imj-prg.fr
40.	Yilin Wu	IMJ-PRG	wuyilinecnuwudi@gmail.com
41.	Sarjick Bakshi	Indian Institute of Technology, Bombay	sarjick91@gmail.com
42.	Song He	Institute of Theoretical Physics, CAS	songhe@itp.ac.cn
43.	Xiankun Du	Jilin University	duxk@jlu.edu.cn
44.	Xiaosong Sun	Jilin University	sunxs@jlu.edu.cn
45.	Duan Zhihao	Korea Institute for Advanced Study	xduanz@gmail.com
46.	Kim Myungho	Kyung Hee University	mkim@khu.ac.kr
46.	Kim Myungho	Kyung Hee University	mkim@khu.ac.kr

47.	Zhouhui Wang	Lanzhou University	wangzhh2019@lzu.edu.cn
48.	Jun Tong	Lanzhou University	tongj18@lzu.edu.cn
49.	Jingmin Guo	Lanzhou University	guojm18@lzu.edu.cn
50.	Duan Bing	Lanzhou University	duanb@lzu.edu.cn
51.	Zhiyu Zhang	Massachusetts Institute of Technology	zzyzhang@mit.edu
52.	Rudradip Biswas	Max Planck Institute for Mathematics, Bonn	rudradipbiswas@gmail.com
53.	Daping Weng	Michigan State University	wengdap1@msu.edu
54.	Michael Shapiro	Michigan State University	mshapiro@math.msu.edu
55.	Linhui Shen	Michigan State University	linhui@math.msu.edu
56.	Tomoki Nakanishi	Nagoya University	nakanisi@math.nagoya-u.ac.jp
57.	Norihiro Hanihara	Nagoya University	m17034e@math.nagoya-u.ac.jp
58.	Yasuaki Gyoda	Nagoya University	m17009g@math.nagoya-u.ac.jp
59.	Shogo Fujiwara	Nagoya University	m17036g@math.nagoya-u.ac.jp
60.	Kodai Matsushita	Nagoya University	m19043g@math.nagoya-u.ac.jp
61.	Tao Yang	Nanjing Agricultural University	tao.yang@njau.edu.cn
62.	Haicheng Zhang	Nanjing Normal University	zhanghc@njnu.edu.cn
63.	Nanqing Ding	Nanjing University	nqding@nju.edu.cn
64.	Yu Wang	Nanjing University	dg1621017@smail.nju.edu.cn
65.	Fengchang Li	Nanjing University	lfckkk@163.com
66.	Li Bowen	Nanjing University	2444539643@qq.com
67.	Liu Miantao	Nanjing University	1763236660@qq.com
68.	Jun Qiu	Nanjing University	woshiqiujun@live.com
69.	Jian He	Nanjing University	jianhe30@163.com
70.	Hongyu Zhu	Nanjing University	hongyuzhu@smail.nju.edu.cn
-			

71.	Xingyuan Lu	Nanjing University	599044248@qq.com
72.	Meiqi Wang	Nanjing University	qimei818@163.com
73.	Chengming Bai	Nankai University	baicm@nankai.edu.cn
74.	Daniel Labardini- Fragoso	National Autonomous University of Mexico	labardini@matem.unam.mx
75.	Gordana Todorov	Northeastern University	g.todorov@northeastern.edu
76.	Qianqian Zhang	Northwest A&F University	zhangqq2019@nwafu.edu.cn
77.	Jian Feng	Northwest University	fengjian008@sina.com
78.	Wuzhong Yang	Northwest University	yangwz@nwu.edu.cn
79.	Liqian Bai	Northwestern Polytechnical University	bailiqian@nwpu.edu.cn
80.	Li Li	Oakland University	li2345@oakland.edu
81.	Gérard Varacca	Paris Saclay	gerard.varacca@gmail.com
82.	Huaigong Zhang	Peking University	zhanghuaigong@pku.edu.cn
83.	Yuanhui Yu	Qufu Normal University	1254123305@qq.com
84.	Junhao Zhang	Qufu Normal University	315958279@qq.com
85.	Xin Zheng	Qufu Normal University	xinzheng1314@yeah.net
86.	Shuo Li	Qufu Normal University	17853726989@163.com
87.	Yongjun Xu	Qufu Normal University	yjxu2002@163.com
88.	Dingguo Wang	Qufu Normal University	dgwang@qfnu.edu.cn
89.	Tiwei Zhao	Qufu Normal University	tiweizhao@qfnu.edu.cn
90.	Qin Yongyun	Qujing Normal University	qinyongyun2006@126.com
91.	Rusen Li	Shandong University	limanjiashe@163.com
92.	Chang Wen	Shaanxi Normal University	changwen161@163.com
93.	Jiarui Fei	Shanghai Jiao Tong University	jiarui@sjtu.edu.cn
94.	Fan Qin	Shanghai Jiao Tong University	qin.fan.math@gmail.com
·			•

95.	Peng Lv	Shanghai Jiao Tong University	lvpeng2020@sjtu.edu.cn
96.	Chiheng Zhang	Shanghai University	zchmath@shu.edu.cn
97.	Gao Nan	Shanghai University	nangao@shu.edu.cn
98.	Hongda Lin	Shanghai University	cx760767456@163.com
99.	Xianghua Wu	Shanghai University	wwuxianghua@hotmail.com
100.	Honglian Zhang	Shanghai University	hlzhangmath@shu.edu.cn
101.	Jingheng Zhou	Shanghai University of Finance and Economics	jhzhou@msg.sufe.edu.cn
102.	Yanhua Wang	Shanghai University of Finance and Economics	yhw@mail.shufe.edu.cn
103.	Changjian Fu	Sichuan University	changjianfu@scu.edu.cn
104.	Shengfei Geng	Sichuan University	genshengfei@scu.edu.cn
105.	Li Yiyu	Sichuan University	yiyu_l@stu.scu.edu.cn
106.	Ming Lu	Sichuan University	luming@scu.edu.cn
107.	Jieheng Zeng	Sichuan University	zengjh662@163.com
108.	Yu Liu	Southwest Jiaotong University	liuyu86@swjtu.edu.cn
109.	Xiaobin Li	Southwest Jiaotong University	lixiaobin@home.swjtu.edu.cn
110.	Pin Liu	Southwest Jiaotong University	liupin@swjtu.edu.cn
111.	Zhengpan Wang	Southwest University	zpwang@swu.edu.cn
112.	Houyi Yu	Southwest University	yuhouyi@swu.edu.cn
113.	Xiandi Ou	Sun Yat-sen University	ouxd5@mail2.sysu.edu.cn
114.	Min Huang	Sun Yat-sen University	minhuang1989@hotmail.com
115.	Junbao Wu	Tianjin University	junbao.wu@tju.edu.cn
116.	Toshiya Yurikusa	Tohoku University	toshiya.yurikusa.d8@tohoku.ac. jp
117.	Chengquan Sun	Tongji University	1930911@tongji.edu.cn
118.	Fu Qiang	Tongji University	q.fu@hotmail.com

	1		
119.	Yu Qiu	Tsinghua University	yu.qiu@bath.edu
120.	Yu Zhou	Tsinghua University	yuzhou2018@tsinghua.edu.cn
121.	Fan Xu	Tsinghua University	fanxu@mail.tsinghua.edu.cn
122.	Jie Xiao	Tsinghua University	jxiao@tsinghua.edu.cn
123.	Peng Shan	Tsinghua University	pengshan@tsinghua.edu.cn
124.	Bin Zhu	Tsinghua University	zhu-b@mail.tsinghua.edu.cn
125.	Chao Shen	Tsinghua university	sc20@mails.tsinghua.edu.cn
126.	Yumeng Wu	Tsinghua university	wuym16@sina.cn
127.	Jiepeng Fang	Tsinghua university	fjp17@mails.tsinghua.edu.cn
128.	Yixin Lan	Tsinghua University	lanyx18@tsinghua.edu.cn
129.	Quan Situ	Tsinghua University	stq19@mails.tsinghua.edu.cn
130.	Yang Fang	Tsinghua university	yangfang19@mails.tsinghua.edu .cn
131.	Zhimin Chen	Tsinghua University	chen- zm15@mails.tsinghua.edu.cn
132.	Dongjian Wu	Tsinghua University	wdj20@mails.tsinghua.edu.cn
133.	Ping He	Tsinghua University	hep19@mails.tsinghua.edu.cn
134.	Yi Huang	Tsinghua University	yihuangmath@tsinghua.edu.cn
135.	Buyan Li	Tsinghua University	704141696@qq.com
136.	Li Fan	Tsinghua University	fan-l21@mails.tsinghua.edu.cn
137.	Karin Baur	Universität Graz	k.u.baur@leeds.ac.uk
138.	Bernhard Keller	Université de Paris	bernhard.keller@imj-prg.fr
139.	Junyang Liu	Université de Paris	liujunya18@mails.tsinghua.edu. cn
140.	Xiaofa Chen	Université de Paris	xchen@imj-prg.fr
141.	Peigen Cao	Université de Paris	peigencao@126.com
142.	Pierre- Guy Plamondon	Université de Paris Sud XI	pierre-guy.plamondon@math.u- psud.fr

143.	Luc Pirio	Université de Versailles	luc.pirio@uvsq.fr
144.	Xiuping Su	University of Bath	xs214@bath.ac.uk
145.	Sibylle Schroll	University of Cologne	schroll@math.uni-koeln.de
146.	Haibo Jin	University of Cologne	hjin@math.uni-koeln.de
147.	Ba Nguyen	University of Colorado Denver	ba.nguyen@ucdenver.edu
148.	Ralf Schiffler	University of Connecticut	schiffler@math.uconn.edu
149.	Ben Davison	University of Edinburg	Ben.Davison@ed.ac.uk
150.	Alireza Nasr-Isfahani	University of Isfahan	nasr@ipm.ir
151.	Bingyan Liu	University of Illinois at Urbana- Champaign	bingyan2@illinois.edu
152.	Matthew Pressland	University of Leeds	m.pressland@leeds.ac.uk
153.	Christopher Fraser	University of Minnesota Twin City	cfraser@umn.edu
154.	Kyungyong Lee	University of Nebraska-Linocln	klee94@ua.edu
155.	Travis Mandel	University of Oklahoma	tmandel@ou.edu
156.	Yirui Xiong	University of Sheffield	yxiong20@sheffield.ac.uk
157.	Lin Zhu	University of Shanghai for Science and Technology	zhulin2323@163.com
158.	Haoyu Sun	University of Texas, Austin	hkdavidsun@berkeley.edu
159.	Mohamad Haerizadeh	University of Tehran	hyrizadeh@gmail.com
160.	Osamu Iyama	University of Tokyo	iyama@math.nagoya-u.ac.jp
161.	Hiraku Nakajima	University of Tokyo	hiraku.nakajima@ipmu.jp
162.	Xueqing Chen	University of Wisconsin-Whitewater	chenx@uww.edu
163.	Geoffrey Janssens	Vrije Universiteit Brussel	geofjans@vub.ac.be
164.	Chunhui Wang	Wuhan University	cwang2014@whu.edu.cn
165.	Jichun Liu	Wenzhou University of Technology	liujc1982@126.com
166.	Shiquan Ruan	Xiamen University	sqruan@xmu.edu.cn
		1	1

			1
167.	Mingfa Chen	Xiamen University	1476258610@qq.com
168.	Jinfeng Zhang	Xiamen University	1871749051@qq.com
169.	Weikang Weng	Xiamen University	2281423354@qq.com
170.	Jiayi Chen	Xiamen University	2728239003@qq.com
171.	Qiang Dong	Xiamen University	873650215@qq.com
172.	Hongxia Zhang	Xiamen university	hxzhangxmu@163.com
173.	Alexander Goncharov	Yale University	alexander.goncharov@yale.edu
174.	Libin Li	Yangzhou University	lbli@yzu.edu.cn
175.	Shunzi Guo	Yunnan normal university	25533774@qq.com
176.	Fang Li	Zhejiang University	fangli@zju.edu.cn
177.	Yannan Qiu	Zhejiang University	qiuyannan@zju.edu.cn
178.	Wu Zhixiang	Zhejiang University	wzx@zju.edu.cn
179.	Jie Pan	Zhejiang University	1192506497@qq.com
180.	Qiuning Du	Zhejiang University	11735007@zju.edu.cn
181.	Leizhen Bao	Zhejiang University	mathbao@zju.edu.cn
182.	Jinlei Dong	Zhejiang University	12035006@zju.edu.cn
183.	Wanwan Jia	Zhejiang University	jiawanwan919@163.com
184.	Siyang Liu	Zhejiang University	627092194@qq.com
185.	Haiyan Zhu	Zhejiang University of Technology	hyzhu@zjut.edu.cn